

# Australian Journal of Experimental Agriculture

## Index to Volume 27, 1987

- Alexander, G., Stevens, D., and Bradley, L. R.  
Fostering in sheep: fostering lambs onto ewes whose lambs  
have died soon after birth 765  
Fostering in sheep: experiences with the use of neatsfoot  
oil 771
- Allen, D. G.  
See Bolland, M. D. A. 275
- Allen, J. G.  
See Morcombe, P. W. 19
- Anderson, G. W., and Moore, R. W.  
Productivity in the first seven years of a *Pinus*  
*radiata*-annual pasture agroforest in Western  
Australia 231
- Archer, K. A., Wolfe, E. C., and Cullis, B. R.  
Flowering time of cultivars of subterranean clover in New  
South Wales 791
- Ash, A. J., and Norton, B. W.  
The productivity of Australian cashmere goats grazing  
Pangola grass and supplemented with untreated and  
formaldehyde treated protein meals 779
- Axelson, A.  
See Coombe, J. B. 513
- Bailey, Peter, and Comery, Janet  
Management of *Heliothis punctigera* on field peas in  
south-eastern Australia 439
- Baker, M. J.  
See Bolland, M. D. A. 571, 647
- Banks, L. W., and Bernardi, A. L.  
Growth and yield of indeterminate soybeans.  
1. Effect of defoliation 889  
2. Effect of removal of the mainstem apex 897
- Barbetti, M. J.  
Evaluation of fungicides for control of *Cercospora zebrina*  
on subterranean clover 107  
Effects of temperature and humidity on disease caused by  
*Phoma medicaginis*, resistance in some *Medicago*  
cultivars and the incidence of seed borne  
inoculum 851
- Barrie, J. T.  
See Reed, K. F. M. 267
- Bartsch, B. D.  
See Valentine, S. C. 195
- Barton, N. J., and McCausland, I. P.  
Production and economic returns from Merino weaner  
sheep subjected to four frequencies of anthelmintic  
administration in East Gippsland, Victoria 759
- Batten, G. D., and Khan, M. A.  
Uptake and utilisation of phosphorus and nitrogen by  
bread wheats grown under natural rainfall 405  
Effect of time of sowing on grain yield, and nutrient uptake  
of wheats with contrasting phenology 881
- Bean, K. G., Seifert, G. W., Macqueen, A., and Doube, B. M.  
Effect of insecticide treatment for control of buffalo fly on  
weight gains of steers in coastal central  
Queensland 329
- Bennett, N. W.  
See Raadsma, H. W. 493
- Bernardi, A. L.  
See Banks, L. W. 889, 897
- Berrie, D. A.  
See Winks, R. 189
- Berthelson, J. E.  
See Jackson, K. J. 149
- Birkenhead, J. A.  
See Lush, W. M. 323
- Birrell, H. A.  
See Walsh, G. L. 807
- Blackshaw, A. W.  
See Blackshaw, Judith K. 753
- Blackshaw, Judith K.  
See Petherick, J. Carol 605
- Blackshaw, Judith K., Blackshaw, A. W., and Kusano, T.  
Cattle behaviour in a saleyard and its potential to cause  
bruising 753
- Blairst, Graeme J.  
See Scott, James M. 367
- Blowes, W. M.  
Effect of ryegrass root residues, knockdown herbicides, and  
fungicides on the emergence of barley in soils 785
- Bolland, M. D. A.  
Effectiveness of topdressed and incorporated  
superphosphate and Duchess rock phosphate for  
subterranean clover on sandy soils near Esperance,  
Western Australia 87  
Seed production of *Trifolium subterraneum* subsp.  
*brachycalycinum* as influenced by soil type and  
grazing 539
- Bolland, M. D. A., and Baker, M. J.  
Increases in soil water content decrease the residual value  
of superphosphate 571
- Bolland, M. D. A., Baker, M. J., and Lunt, R. J.  
Effectiveness of superphosphate and crandallite-millsite  
rock phosphates on a deep, very sandy soil as assessed  
by plant growth and soil extractable phosphate 647
- Bolland, M. D. A., and Collins, W. J.  
Persistence of seed produced from single seed crops of  
subterranean clover on sandy soils near Esperance,  
Western Australia 81
- Bolland, M. D. A., Gilkes, R. J., Allen, D. G., and D'Antuono,  
M. F.  
Residual value of superphosphate and Queensland rock  
phosphate for serradella and clover on very sandy soils  
as assessed by plant growth and bicarbonate-soluble  
phosphorus 275
- Bowdler, T. M.  
See Lowe, K. F. 59
- Bowman, P. J.  
See White, D. H. 11
- Bradley, L. R.  
See Alexander, G. 765, 771
- Bremner, K. C.  
See Winks, R. 189
- Bretag, T. W., and Mebalds, M. I.  
Pathogenicity of fungi isolated from *Cicer arietinum*  
(chickpea) grown in north-western Victoria 141
- Bromfield, S. M.  
Simple tests for the field assessment of aluminium and  
manganese levels in acid soils 399
- Bromfield, S. M., Cumming, R. W., David, D. J., and  
Williams, C. H.  
Long-term effects of incorporated lime and topdressed lime  
on the pH in the surface and subsurface of pasture  
soils 533

- Brooke, H. D.  
See Coventry, D. R. 679
- Brown, G. A.  
See Wood, P. McR. 77
- Buchanan, G. A.  
The distribution of grape phylloxera, *Daktulosphaira vitifoliae* (Fitch), in central and north-eastern Victoria 591
- Burns, M. A.  
See Winks, R. 189
- Butler, B. J.  
See Murray, G. M. 411
- Butler, L. G., King, W. R., and McDonald, C. L.  
Growth of young Merino sheep grazing cereal stubbles and supplemented *ad libitum* with oats, of different crude protein contents, sprayed with various amounts of urea 339
- Cameron, D. F.  
See Davis, R. D. 67
- Campbell, M. H., Kemp, H. W., Murison, R. D., Dellow, J. J., and Ridings, H.  
Use of herbicides for selective removal of *Eragrostis curvula* (Schrad.) Nees from a *Pennisetum clandestinum* pasture 359
- Campbell, S. J.  
See Daniells, J. W. 725
- Chapman, A. L., and Myers, R. J. K.  
Nitrogen contributed by grain legumes to rice grown in rotation on the Cununurra soils of the Ord Irrigation Area, Western Australia 155
- Chaplain, N. P.  
See Clarkson, N. M. 257
- Cheam, A. H.  
Emergence and survival of buried doublegee (*Emex australis* Steinh.) seeds 101
- Chin, J. F.  
See Reed, K. F. M. 267
- Clarkson, N. M., Chaplain, N. P., and Fairbairn, M. L.  
Comparative effects of annual medics (*Medicago* spp.) and nitrogen fertiliser on the herbage yield and quality of subtropical grass pastures in southern inland Queensland 257
- Clark, S. G., and Hirth, J. R.  
Growth and persistence of Mediterranean genotypes of mid to late maturing subterranean clover (*Trifolium subterraneum*) in Victoria 551
- Coates, D. B., Mannetje, L. T., and Seifert, G. W.  
Reproductive performance and calf growth to weaning of Hereford and Hereford Red cattle in subtropical, subcoastal Queensland 1
- Coates, D. B., Schachenmann, P., and Jones, R. J.  
Reliability of extrusa samples collected from steers fistulated at the oesophagus to estimate the diet of resident animals in grazing experiments 739
- Collins, W. J.  
See Bolland, M. D. A. 81
- Comery, Janet  
See Bailey, Peter 439
- Coombe, J. B., Axelson, A., and Dove, H.  
Rape and sunflower seed meals as supplements for sheep grazing cereal stubbles 513
- Cooper, J. E.  
See Strong, W. M. 295
- Corcoran, R. J.  
See Heather, N. W. 465
- Cornish, P. S.  
See Mailer, R. J. 707
- Cornish, P. S., and Lymbery, J. R.  
Reduced early growth of direct drilled wheat in southern New South Wales: causes and consequences 869
- Coughlan, K. J.  
See Loch, R. J. 585
- Coventry, D. R., and Kollmorgen, J. F.  
An association between lime application and the incidence of take-all symptoms on wheat on an acid soil in north-eastern Victoria 695
- Coventry, D. R., Morrison, G. R., Reeves, T. G., Hirth, J. R., and Fung, K. K. H.  
Mineral composition and responses to fertiliser of wheat grown on a limed and deep ripped soil in north-eastern Victoria 687
- Coventry, D. R., Reeves, T. G., Brooke, H. D., Ellington, A., and Slattery, W. J.  
Increasing wheat yields in north-eastern Victoria by liming and deep ripping 679
- Coy, J.  
See Raadsma, H. W. 493
- Cripps, J. E. L.  
Response of apple trees to soil applications of phosphorus, nitrogen and potassium 909
- Crocker, K. P.  
See Morcombe, P. W. 19
- Cullis, B. R.  
See Archer, K. A. 791
- Cumming, R. W.  
See Bromfield, S. M. 533
- Cunningham, P. J.  
See Reed, K. F. M. 267
- Cunningham, R. B.  
See Dann, P. R. 431
- Dalal, R. C.  
See Strong, W. M. 295
- Daniells, J. W., O'Farrell, P. J., Mulder, J. C., and Campbell, S. J.  
Effect of plant spacing on yield and plant characteristics of banana in North Queensland 725
- Dann, P. R., Thomas, A. G., Cunningham, R. B., and Moore, P. H. R.  
Response by wheat, rape and field peas to pre-sowing herbicides and deep tillage 431
- D'Antuono, M. F.  
See Bolland, M. D. A. 275
- David, D. J.  
See Bromfield, S. M. 533
- Davis, R. D., Irwin, J. A. G., Shepherd, R. K., and Cameron, D. F.  
Yield losses caused by *Colletotrichum gloeosporioides* in three species of *Stylosanthes* 67
- de Boer, R. F.  
See Kollmorgen, J. F. 419
- Dellow, J. J.  
See Campbell, M. H. 359
- Desmarchelier, J. M., and Dines, J. C.  
Dryacide treatment of stored wheat: its efficacy against insects, and after processing 309
- Dines, J. C.  
See Desmarchelier, J. M. 309
- Dobos, R. C.  
See Valentine, S. C. 195
- Dobos, R. C., Fulkerson, W. J., and Michell, P. J.  
Effects on milk production of feeding wheat supplements to grazing dairy cows in early lactation 41
- Dolling, C. H. S.  
See Walkley, J. R. W. 205

- Donald, G. E.  
See Langlands, J. P. 485
- Doube, B. M.  
See Bean, K. G. 329
- Dove, H.  
See Coombe, J. B. 513
- Dowling, P. M., Robinson, G. G., and Murison, R. D.  
An evaluation of three aerial pasture development methods on the Northern Tablelands of New South Wales, in terms of herbage on offer, botanical composition and animal performance 389
- Doyle, A. D., McLeod, R. W., Wong, P. T. W., Hetherington, S. E., and Southwell, R. J.  
Evidence for the involvement of the root lesion nematode *Pratylenchus thornei* in wheat yield decline in northern New South Wales 563
- East, I. J.  
See Winks, R. 189
- Ellington, A.  
See Coventry, D. R. 679
- Fairbairn, M. L.  
See Clarkson, N. M. 257
- Fang, C. S.  
See MacNish, G. C. 671
- Fernandes, A.  
See Redden, R. J. 455
- Fisher, J. A.  
See Leys, A. R. 119
- Francis, Aileen  
See Stovold, G. E. 317
- Fulkerson, W. J.  
See Michell, P. J. 35  
See Dobos, R. C. 41
- Fung, K. K. H.  
See Coventry, D. R. 687
- Gardener, C. J.  
See McIvor, John G. 857
- Gardner, I. A.  
See Greer, E. B. 343
- Gardner, W. K.  
See McDonald, G. K. 661
- George, A. P., and Nissen, R. J.  
Effects of cincturing, defoliation and summer pruning on the vegetative growth and flowering of custard apple (*Annona cherimola* x *Annona squamosa*) in subtropical Queensland 915
- Gilbert, M. A., Moody, P. W., and Shaw, K. A.  
Fertility assessment of soils of the Mt Garnet area, North Queensland 93
- Gilbert, M. A., and Shaw, K. A.  
Fertility of a red earth soil of Mid-Cape York peninsula 863
- Giles, L. R.  
See Greer, E. B. 27
- Gilkes, R. J.  
See Bolland, M. D. A. 275
- Gill, G. S., Poole, M. L., and Holmes, J. E.  
Competition between wheat and brome grass in Western Australia 291
- Goodwin, P. B.  
See Siddique, M. A. 179
- Graham, N. McC.  
See Margan, D. E. 223
- Grant, I. L.  
See Lewis, D. C. 711
- Greer, E. B.  
Lack of effect of regular movement and of mixing groups on the performance of growing pigs 217
- Greer, E. B., Mort, P. C., Lowe, T. W., and Giles, L. R.  
Accuracy of ultrasonic backfat testers in predicting carcass P2 fat depth from live pig measurement and the effect on accuracy of mislocating the P2 site on the live pig 27
- Hall, B.  
See Redden, R. J. 455
- Hancock, G. R.  
See Wood, P. McR. 77
- Hancock, G. R., Vogel, P., and Petterson, D. S.  
A high performance liquid chromatographic assay for the mycotoxin phomopsis A in lupin stubble 73
- Hargreaves, P. A.  
See Heather, N. W. 465
- Heather, N. W., Hargreaves, P. A., Corcoran, R. J., and Melksham, K. J.  
Dimethoate and fenthion as packing line treatments for tomatoes against *Dacus tryoni* (Froggatt) 465
- Herrod, W.  
See Phillips, D. 335
- Hetherington, S. E.  
See Doyle, A. D. 563
- Hill, Stuart J.  
See Rattigan, Kevin 905
- Hinkley, R. B.  
See Leys, A. R. 119
- Hirth, J. R.  
See Clark, S. G. 551  
See Coventry, D. R. 687
- Hochman, Z.  
See Murray, G. M. 411
- Holmes, J. E.  
See Gill, G. S. 291
- Holst, P. J.  
Supplementary feeding of oat grain or lucerne hay to crossbred ewes at lambing 211
- Irwin, J. A. G.  
See Davis, R. D. 67  
See Jackson, K. J. 149
- Jackson, K. J., Irwin, J. A. G., and Berthelson, J. E.  
Sources of *Alternaria carthami* inoculum in safflower 149
- Johnson, E. R.  
Comparison of twelfth rib and rump fat thickness measurements for predicting commercial beef yield in local market carcasses 613
- Jones, R. J.  
See Coates, D. B. 739
- Jones, R. M.  
See Simao Neto, M. 239, 247
- Jones, R. M., and Simao Neto, M.  
Recovery of pasture seed ingested by ruminants.  
3. The effects of the amount of seed in the diet and of diet quality on seed recovery from sheep 253
- Kearins, R. D.  
See Raadsma, H. W. 493
- Keating, B. A., and Mott, J. J.  
Growth and regeneration of summer-growing pasture legumes on a heavy clay soil in south-eastern Queensland 633

- Kelly, J. G.  
See Winks, R. 189
- Kelly, K. B., and Mason, W. K.  
Effects of irrigation timing on seedling establishment and productivity of subterranean clover pastures 545  
Effects of irrigation timing in autumn and spring on seed production of subterranean clover, and the change in permeability and rate of germination of seed 799
- Kemp, H. W.  
See Campbell, M. H. 359
- Kennett, A. M., and Siebert, B. D.  
Effects of implants of oestradiol plus progesterone on the growth and intramuscular fat composition of steers raised in southern Australia 747
- Kenney, P. A.  
Lupins in grain diets for drought-affected lambs weaned at different ages 625
- Kenney, P. A., and Roberts, G. B.  
Productivity of ewes grazing lupin stubbles at mating in north-eastern Victoria 619
- Khan, M. A.  
See Batten, G. D. 405, 881
- King, W. R.  
See Butler, L. G. 339
- Kirton, D.  
See Redden, R. J. 455
- Kloot, P. M.  
Influence of environmental factors on the germination and establishment of barley grass (*Hordeum glaucum*) and annual ryegrass (*Lolium rigidum*) 525
- Kollmorgen, J. F.  
See Coventry, D. R. 695
- Kollmorgen, J. F., Ridge, P. E., and de Boer, R. F.  
Effects of tillage and straw mulches on take-all of wheat in the Northern Wimmera of Victoria 419
- Kusano, T.  
See Blackshaw, Judith K. 753
- Lambourne, L. J.  
See Strickland, R. W. 45
- Langlands, J. P., Donald, G. E., and Smith, A. J.  
Analysis of data collected in a residue survey: copper and zinc concentrations in liver, kidney and muscle in Australian sheep and cattle 485
- Langdon, P. W.  
See Lowe, K. F. 59  
See Pegg, K. G. 471  
See Whitley, A. W. 173
- Lee, T. C.  
See Wicks, T. 601
- Lewis, D. C., Potter, T. D., Weckert, S. E., and Grant, I. L.  
Effect of nitrogen and phosphorus fertilisers on the seed yield and oil concentration of oilseed rape (*Brassica napus* L.) and the prediction of responses by soil tests and past paddock use 711
- Lewis, P. A.  
See Valentine, S. C. 195
- Leys, A. R., Hinkley, R. B., and Fisher, J. A.  
Response of wheat cultivars to early post-emergence herbicides containing MCPA (2-methyl-4-chlorophenoxyacetic acid) 119
- Loch, R. J., Coughlan, K. J., and Mulder, J. C.  
Effects on frequency on peanut (*Arachis hypogae* L.) cropping on some properties of krasnozems and euzozems soils in the South Burnett Area, Queensland 585
- Lomman, G.  
See Wicks, T. 597
- Lowe, K. F., Langdon, P. W., and Bowdler, T. M.  
Combined effects of leaf spot diseases caused by *Stemphylium vesicarium* (Wallr.) Simmons and *Leptosphaerulina trifolii* (Rostr.) Petr. on lucerne cultivars, and the efficacy of some fungicidal control methods 59
- Lowe, T. W.  
See Greer, E. B. 27
- Lunt, R. J.  
See Bolland, M. D. A. 647
- Lush, W. M., and Birkenhead, J. A.  
Establishment of turf using advanced ('pregerminated') seeds 323
- Lymbery, J. R.  
See Cornish, P. S. 869
- McCausland, I. P.  
See Barton, N. J. 795
- McDonald, C. L.  
See Butler, L. G. 339  
See Suiter, R. J. 629
- McDonald, G. K., and Gardner, W. K.  
Effect of waterlogging on the grain yield response of wheat to sowing date in south-western Victoria 661
- McIvor, John G.  
Changes in germinable seed levels in soil beneath pastures near Townsville, North Queensland 283
- McIvor, John G., and Gardener, C. J.  
Effect of boiling water treatment on hardseededness and germination in some *Stylosanthes* species 857
- McLeod, R. W.  
See Doyle, A. D. 563
- MacNish, G. C., and Fang, C. S.  
Effect of short chemical fallow on rhizoctonia bare patch and root rot of wheat at Esperance, Western Australia 671
- Macqueen, A.  
See Bean, K. G. 329
- Mailer, R. J., and Cornish, P. S.  
Effects of water stress on glucosinolate and oil concentrations in the seeds of rape (*Brassica napus* L.) and turnip rape (*Brassica rapa* L. var. *silvestris* [Lam.] Briggs) 705
- Mannetje, L. 't.  
See Coates, D. B. 1
- Margan, D. E., Graham, N. McC., and Searle, T. W.  
The energy value of whole oats grain in adult wether sheep 223 (Correction on Contents page of Issue 5)
- Mason, M. G.  
Effects of dicyandiamide (a nitrification inhibitor) on leaching of nitrogen and growth of cereals 127
- Mason, W. K.  
See Kelly, K. B. 545, 799  
See Slarke, R. H. 55
- Mayer, R.  
See Redden, R. J. 455
- Mebalds, M. I.  
See Bretag, T. W. 141
- Mehanni, A. H.  
Reclamation of saline/sodic soil by aquifer pumping, application of tillage and gypsum and reuse of saline groundwater 381
- Melksham, K. J.  
See Heather, N. W. 465
- Menzel, C. M., and Simpson, D. R.  
Effect of cincturing on growth and flowering of lychee over several seasons in subtropical Queensland 733

- Michell, P. J.  
     See Dobbs, R. C. 41
- Michell, P. J., and Fulkerson, W. J.  
     Effect of grazing intensity in spring on pasture growth, composition and digestibility, and on milk production by dairy cows 35
- Mickan, F. J.  
     See Thomas, G. W. 481
- Moody, P. W.  
     See Gilbert, M. A. 93
- Moore, P. H. R.  
     See Dann, P. R. 431
- Moore, R. W.  
     See Anderson, G. W. 231
- Morcombe, P. W., Croker, K. P., and Allen, J. G.  
     Liver damage and the liveweight changes in Merino wether weaners grazing mixed crops of oats and sweet narrow-leaved lupins 19
- Morrison, G. R.  
     See Coventry, D. R. 687
- Mort, P. C.  
     See Greer, E. B. 27
- Mott, J. J.  
     See Keating, B. A. 633
- Mulder, J. C.  
     See Daniells, J. W. 725
- Murison, R. D.  
     See Campbell, M. H. 359
- See Dowling, P. M. 389
- Murray, G. M., Scott, B. J., Hochman, Z., and Butler, B. J.  
     Failure of liming to increase grain yield of wheat and triticale in acid soils may be due to the associated increase in incidence of take-all (*Gaeumannomyces graminis* var. *tritici*) 411
- Myers, R. J. K.  
     See Chapman, A. L. 155
- Nissen, R. J.  
     See George, A. P. 915
- Norton, B. W.  
     See Ash, A. J. 779
- O'Farrell, P. J.  
     See Daniells, J. W. 725
- Olsson, K. A.  
     See Taylor, A. J. 841
- Overton, J.  
     See Wicks, T. 601
- Pegg, K. G.  
     See Whiley, A. W. 173
- Pegg, K. G., Whiley, A. W., Langdon, P. W., and Saranah, J. B.  
     Comparison of phosetyl-Al, phosphorous acid and metalaxyl for the long-term control of Phytophthora root rot of avocado 471
- Penrose, L.  
     Influence of weight of seed on hyphal growth of the take-all pathogen, *Gaeumannomyces graminis* var. *tritici*, in wheat roots grown in sand culture 559
- Perry, M. W.  
     See Thorn, C. W. 349
- Petherick, J. Carol, and Blackshaw, Judith K.  
     A review of the factors influencing the aggressive and agonistic behaviour of the domestic pig 605
- Petterson, D. S.  
     See Hancock, G. R. 73
- See Wood, P. McR. 77
- Phillips, D., Herrod, W., and Schafer, R. J.  
     The measurement of subcutaneous fat depth on hot beef carcasses with the Hennessy Grading Probe 335
- Ponzone, R. W.  
     See Walkley, J. R. W. 205
- Poole, M. L.  
     See Gill, G. S. 291
- Potter, T. D.  
     See Lewis, D. C. 711
- Pritchard, K. E.  
     Yield and quality of irrigated summer fodder crops in northern Victoria 817
- Raadsma, H. W., Kearins, R. D., Bennett, N. W., Coy, J., and Watts, J. E.  
     An evaluation of classing Merino sheep for fleece rot susceptibility 493
- Raadsma, H. W., Watts, J. E., and Warren, H.  
     Effect of wither malformation on the predisposition of sheep to fleece rot and body strike 503
- Rab, Md Abdur, and Willatt, S. T.  
     Water use by irrigated potatoes on a duplex soil 165
- Radford, B. J.  
     Effect of cultivar and temperature on the coleoptile length and establishment of barley 313
- Radford, B. J., and Wildermuth, G. B.  
     Effect of sowing depth, seed dressings, a press wheel, cultivars and trifluralin on the establishment of barley 579
- Ramsey, M. D., Vawdrey, L. L., and Schipke, L. G.  
     Evaluation of systemic and protectant fungicides for the control of Sigatoka leaf spot (*Mycosphaerella musicola* Leach) of bananas in North Queensland 919
- Ratcliff, D.  
     See Strickland, R. W. 45
- See Simao Neto, M. 239
- Rattigan, Kevin, and Hill, Stuart J.  
     Relationship between temperature and flowering in almond: effect of location 905
- Redden, R. J., Usher, T., Younger, D., Mayer, R., Hall, B., Fernandes, A., and Kirtan, D.  
     Response of navy beans to row width and plant population density in Queensland 455
- Reed, K. F. M., Cunningham, P. J., Barrie, J. T., and Chin, J. F.  
     Productivity and persistence of cultivars and Algerian introductions of perennial ryegrass (*Lolium perenne* L.) in Victoria 267
- Reeves, T. G.  
     See Coventry, D. R. 679, 687
- See Steed, G. R. 701
- Ridge, P. E.  
     See Kollmorgen, J. F. 419
- Ridings, H.  
     See Campbell, M. H. 359
- Roberts, G. B.  
     See Kenney, P. A. 619
- Robinson, G. G.  
     See Dowling, P. M. 389
- Robson, A. D., and Snowball, K.  
     Response of narrow-leaved lupins to cobalt application in relation to cobalt concentrations in seed 657
- Roget, D. K., Venn, N. R., and Rovira, A. D.  
     Reduction of Rhizoctonia root rot of direct-drilled wheat by short-term chemical fallow 425

- Rogers, I. S.  
See Wicks, T. 597
- Rose, I. A.  
Sowing-date responses of early maturing indeterminate soybean genotypes in northern New South Wales 135  
Evaluation of soybean breeding lines by examining their response to sowing date and row spacing 719
- Rovira, A. D.  
See Roget, D. K. 425
- Saffigna, P. G.  
See Strong W. M. 295
- Saranah, J. B.  
See Whitley, A. W. 173  
See Pegg, K. G. 471
- Schachenmann, P.  
See Coates, D. B. 739
- Schafer, R. J.  
See Phillips, D. 335
- Schipke, L. G.  
See Ramsey, M. D. 919
- Scott, B. J.  
See Murray, G. M. 411
- Scott, James M., and Blair Graeme J.  
Competition from *Vulpia myuros* (L.) C. C. Gmelin in pastures, and its control by coating seeds with herbicides 367
- Searle, T. W.  
See Margan, D. E. 223
- Seifert, G. W.  
See Coates, D. B. 1  
See Bean, K. G. 329
- Shaw, K. A.  
See Gilbert, M. A. 93, 863
- Shepherd, R. K.  
See Davis R. D. 67
- Shorter, R., and Simpson, B. W.  
Peanut yield and quality variation over harvest dates, and evaluation of some maturity indices in south-eastern Queensland 445
- Siddique, M. A., Somerset, G., and Goodwin, P. B.  
Time of harvest, prethreshing treatment and quality in snap bean (*Phaseolus vulgaris*) seed crops 179
- Siebert, B. D.  
See Kennett, M. 747
- Simao Neto, M., Jones, R. M., and Ratcliff, D.  
Recovery of pasture seed ingested by ruminants. 1. Seed of six tropical pasture species fed to cattle, sheep and goats 239
- Simao Neto, M., and Jones, R. M.  
Recovery of pasture seed ingested by ruminants. 2. Digestion of seed in sacco and in vitro 247
- Simao Neto, M.  
See Jones, R. M. 253
- Simpson, B. W.  
See Shorter, R. 445
- Simpson, D. R.  
See Menzel, C. M. 733
- Slarke, R. H., and Mason, W. K.  
Effect of growth stage at cutting on yield and quality of lucerne cultivars from different dormancy groups in northern Victoria 55
- Slattery, W. J.  
See Coventry, D. R. 679
- Smith, A. J.  
See Langlands, J. P. 485
- Snowball, K.  
See Robson, A. D. 657
- Somerset, G.  
See Siddique, M. A. 179
- Southwell, R. J.  
See Doyle, A. D. 563
- Sparrow, L. A., and Uren, N. C.  
The role of manganese toxicity in crop yellowing (on seasonally waterlogged and strongly acidic soils) in north-eastern Victoria 303
- Steed, G. R., Reeves, T. G., and Willatt, S. T.  
Effects of deep ripping and liming on soil water deficits, sorptivity and penetrometer resistance 701
- Stevens, D.  
See Alexander, G. 765, 771
- Stovold, G. E., and Francis, Aileen  
Studies in the incidence of *Phomopsis phaseoli* (Desm.) Sacc. in crops and seed of soybean in New South Wales 317
- Strickland, R. W., Lambourne, L. J., and Ratcliff, D.  
A rat bioassay for screening tropical legume forages and seeds for palatability and toxicity 45
- Strong, W. M., Dalal, R. C., Cooper, J. E., and Saffigna, P. G.  
Availability of residual fertiliser nitrogen in a Darling Downs black earth in the presence and absence of wheat straw 295
- Strong, W. M., Dalal, R. C., Cooper, J. E., and Saffigna, P. G.  
Availability of residual fertiliser nitrogen in a Darling Downs black earth in the presence and absence of wheat straw 295
- Suiter, R. J., and McDonald, C. L.  
Growth of Merino weaners fed grain-based diets while grazing dry pasture or housed in feedlots 629
- Taylor, A. J.  
Influence of weed competition on autumn-sown lucerne in south-eastern Australia, and the field comparison of herbicides and mowing for weed control 825  
Lucerne seedling growth and first year productivity in south-eastern Australia as influenced by sowing date and early winter 833
- Taylor, A. J., and Olsson, K. A.  
Effect of gypsum and deep ripping on lucerne (*Medicago sativa* L.) yields on a red-brown earth under flood and spray irrigation 841
- Taylor, G. B.  
Determination of seed moisture content in small-seeded pasture legumes 377
- Thomas, A. G.  
See Dann, P. R. 431
- Thomas, G. W., and Mickan, F. J.  
Effect of heifer size at mating and calving on conception and first lactation production 481
- Thorn, C. W., and Perry, M. W.  
Effect of chemical removal of grasses from pasture leys on pasture and sheep production 349
- Thro, A. M.  
Autotoxicity is not implicated as a cause of a dying-centre growth pattern in lotononis 643
- Uren, N. C.  
See Sparrow, L. A. 303
- Usher, T.  
See Redden, R. J. 455



- Valentine, S. C., Dobos, R. C., Lewis, P. A., Bartsch, B. D., and Wickes, R. B.  
Effect of liveweight gain before or during pregnancy on mammary gland development and subsequent milk production of Australian Holstein-Friesian heifers 195
- Vawdrey, L. L.  
See Ramsey, M. D. 919
- Venn, N. R.  
See Roget, D. K. 425
- Vogel, P.  
See Hancock, G. R. 73
- Walkley, J. R. W., Ponzone, R. W., and Dolling, C. H. S.  
Phenotypic and genetic parameters for lamb and hogget traits in a flock of South Australian Merino sheep 205
- Walsh, G. L., and Birrell, H. A.  
Seasonal variations in the chemical composition and nutritive value of five pasture species in south-western Victoria 807
- Warren, H.  
See Raadsma, H. W. 503
- Watts, J. E.  
See Raadsma, H. W. 493, 503
- Weckert, S. E.  
See Lewis, D. C. 711
- Whiley, A. W., Pegg, K. G., Saranah, J. B., and Langdon, P. W.  
Influence of *Phytophthora* root rot on mineral nutrient concentrations in avocado leaves 173
- White, D. H., and Bowman, P. J.  
Economics of feeding energy-based supplements to grazing ewes before mating in order to increase the reproduction rate of a wool-producing flock 11
- Wicks, R. B.  
See Valentine, S. C. 195
- Wicks, T., Lee, T. C., and Overton, J.  
Sensitivity of Australian isolates of *Plasmopara viticola* to acylalanine fungicides 601
- Wicks, T., Lomman, G., and Rogers, I. S.  
Fungicide control of ringspot (*Mycosphaerella brassicicola*) in brussels sprouts 597
- Wildermuth, G. B.  
See Radford, B. J. 579
- Williams, C. H.  
See Bromfield, S. M. 533
- Willatt, S. T.  
See Rab, Md Abdur 165  
See Steed, G. R. 701
- Wimalajeewa, D. L. S.  
Seasonal variation in susceptibility of apricot to *Pseudomonas syringae* pv. *syringae* (bacterial canker), and sites of infection in apricot and cherry 475
- Winks, R., Burns, M. A., Berrie, D. A., East, I. J., Kelly, J. G., and Bremner, K. C.  
Effect of repeated anthelmintic treatment on weight gain in Hereford and Brahman crossbred cattle in south-eastern Queensland 189
- Wolfe, E. C.  
See Archer, K. A. 791
- Wong, P. T. W.  
See Doyle, A. D. 563
- Wood, P. McR., Petterson, D. S., Hancock, G. R., and Brown, G. A.  
Distribution of seed infected with *Phomopsis leptostromiformis* and of phomopsis A within a lupin crop 77
- Wright, G. L.  
See Greer, E. B. 343
- Younger, D.  
See Redden, R. J. 455